

Interactive comment on “Migrating and Non-Migrating Tides Observed in the Stratosphere from FORMOSAT-3/COSMIC Temperature Retrievals” by Uma Das et al.

Anonymous Referee #1

Received and published: 24 October 2019

The paper by Uma Das et al. presents a tidal analysis based on COSMIC temperature data derived during the years 2009 and 2010. The analysis uses the least-square fitting technique concerning the zonal wave number, the longitude, and considering a mean, a diurnal, semidiurnal and terdiurnal tidal as well as a stationary planetary wave component. The data is divided into two groups containing four micro satellites each with a third group containing all 6 satellites as comparison. The present study focuses on the investigation of different lengths of data sets and thus, their influence on each tidal component according to their generation, variability and potentially produced aliasing effects. The findings are relevant especially for the satellite community because they give evidence to new interpretation possibilities regarding the nature of

[Printer-friendly version](#)

[Discussion paper](#)



tides in the Earth's atmosphere.

The paper is well written, the methods are adequately described and the results are properly discussed, therefore a publication in *Annales Geophysicae* is highly recommended. But nevertheless, some major and minor concerns should be addressed as indicated below before publishing.

Specific comments:

1) In the introduction the authors mentioned that a short-term variability from satellite data cannot be retrieved due to the local time coverage at one particular location, which takes several tens of days (Page 2, line 33-34). In general this statement is true, but nevertheless, there are attempts to derive a short-term variability using the deconvolution method for non-migrating tides or by combining satellite data with ground-based measurements. For a comprehensive overview please add some information about this in the introductory part (for this see e.g.: Oberheide et al., 2002; Pedatella et al., 2016).

2) The classification of the different groups (G1 and G2) seems to be somehow over-sampled because 50% of the data is in both groups. The similarity of the results from the different groups is not really surprising when almost the same data is used for each group (G0 contains all six data sets). Perhaps, it is worth to add some information about the exact amount of data from each satellite in form of a table or something like that?

3) Page 4, line 96: What is meant with the statement: "This non-uniform and pattern-less sampling is in a way supportive to the current study"? Even if there would be a pattern sampling, by knowing this, it would be also possible to distinguish between such a pattern and a real geophysical variation of a tidal signal. Please clarify the meaning with some arguments.

4) Page 4, line 126: "the phase sampling is uniform on any given day for all waves".

The reviewer does not see this in Fig. 1 as just the phase of the DW1 component is shown here. In addition to this, perhaps misleading, statement, it seems to be a contradiction to the comment in the beginning about the non-uniform sampling (see point 3). Uniform suggests a complete sampling for each season. This seems to be not true, especially for the winter months. Please rethink about both statements and rewrite them.

5) Fig. 2: Why there is no amplitude signal for the DW1 tide visible between 15 and 45° N/S? From the theoretical point of view, one would assume that there is a strong signal at the equator which slowly decreases towards the pole. Are the values really zero here or are they not determined? This is not clear from the colormap of the colorbar.

6) Page 7, line 190/191: “with no phase change”. This reviewer is not convinced about this statement. From Fig. 5 it is clearly visible that the phase is changing between maxima of amplitudes.

7) The nonlinear interaction of the SPW1 and the migrating diurnal tide as a potential generation mechanism of the DW2 and DS0 tidal component was also investigated by Lieberman et al., 2015. Although this study is focused in the MLT region, it is worth to discuss the results here (page 9, line 241/242) because the authors also used SABER data and derived a day-to-day variability of the tidal components. They also made a numerical investigation of their correlation and found that the interaction is a potential source of the non-migrating tidal components. Their findings contradict an aliasing effect as origin for the non-migrating tidal components. Please enhance the discussion according to this.

8) COSMIC data show significant tidal variabilities over times less than a month. Unfortunately, the data is limited to stratospheric altitudes, and therefore a comparison to other data sets can hardly be made as they are often done for the MLT region due to larger tidal amplitudes at these altitudes. However, there are a few studies which investigate the tidal variability also in the stratosphere, which should also be mentioned

[Printer-friendly version](#)

[Discussion paper](#)



in the discussion (e.g., Baumgarten et al., 2018, Baumgarten and Stober et al., 2019). Both studies show a huge variability of the diurnal tide which origin was not finally determined, but nevertheless, they used also global tidal fields to distinguish between migrating and non-migrating tides. Their results also show a negligible non-migrating tidal contribution if an intermittency is allowed in the analysis which supports a potential aliasing effect as origin for the non-migrating tidal components.

Minor/Technical comments:

- Page 1, line 10: sun → Sun
- Citations should follow the Ann. Geophysicae standard, so please use the command `\citet` or `\citep` if latex is used or “()” instead of “[]” for references.
- Please add a short summary of the structure of the manuscript at the end of the introduction. For a reader it is much better if a statements about what follows is given there.
- This reviewer suggests to integrate Section 2.1 into Section 2 or Section 2.1 should get an own Section number. In general, it is not likely to write a subsection if just one subsection is existing.
- Page 4, line 109: in to → into
- Page 4, line 123: What is meant by “viz.”? Please clarify.
- Page 4, line 124: “the total phase of the important wave component DW1 are investigated” must be “is investigated”
- Page 4, line 126: “data points reduced” should probably be “data points are reduced”
- Page 5, line 1: “the period investigated” please clarify which period this is (Nov. 2009-Sept. 2010) as this should be stated somewhere here in the data section.
- Page 5, section 3: To be complete here an explanation for the different variables is

[Printer-friendly version](#)

[Discussion paper](#)



needed for the reader.

- Page 5, line 144: How is “with minute differences” determined? The results show small differences between the three groups, but they are not in the range of minutes. If it is meant that the flightpath of the six micro satellites have a temporal difference of a few minutes, then it becomes not clear from the statement written in the manuscript.

- Page 5, line 145: “strong semi-annual variation is observed” The statement should be weakened. The semi-annual variation is visible, but the annual variation is much stronger (the difference here is larger than 30 K, while the difference for the semi-annual variation is less than 10 K).

- Page 5, line 149: Just a thought (there is probably no action required): Is it possible that the band like structure around the equator has something to do with the geomagnetic equator because there is a more or less anti-correlation between both?

- Page 6, line 161: The strongest differences occur not only during winter, also during autumn.

- Page 6, line 172: “are overestimated by C004, particularly in the high latitudes”. This statement is not quite correct, the overestimation occurs only in high latitudes, not above the equator. Please modify the sentence.

- Page 6, line 173: “due to the effect of smoothening as more data was used” It is not clear why this is the explanation. Does C004 contain more data than the other satellites?

- Page 6, line 184: Could the authors estimate also the vertical wavelength of the other two tidal components? Probably this is not easy, but at least some sentence about the relation to other tidal components would be helpful.

- Page 7, line 200: The amplitude of the SSW is not seen in the figure, therefore the formulation should be changed.

[Printer-friendly version](#)

[Discussion paper](#)



- Page 10, line 257 and 258: “Showed” is the past tense of “show”, but here the authors have to write the past participle which is “shown”.

References:

Baumgarten, K., Gerding, M., Baumgarten, G., and Lübken, F.-J. (2018), Temporal variability of tidal and gravity waves during a record long 10-day continuous lidar sounding, *Atmos. Chem. Phys.*, 18, 371–384, <https://doi.org/10.5194/acp-18-371-2018>.

Baumgarten, K. and Stober, G. (2019), On the evaluation of the phase relation between temperature and wind tides based on ground-based measurements and reanalysis data in the middle atmosphere, *Ann. Geophys.*, 37, 581–602, <https://doi.org/10.5194/angeo-37-581-2019>.

Oberheide, J., Hagan, M. E., Roble, R. G., and Offermann, D. (2002), Sources of nonmigrating tides in the tropical middle atmosphere, *J. Geophys. Res.*, 107(D21), 4567, doi:10.1029/2002JD002220.

Pedatella, N. M., Oberheide, J., Sutton, E. K., Liu, H.ÅĀĀL., Anderson, J. L., and Raeder, K. (2016), ShortÅĀĀterm nonmigrating tide variability in the mesosphere, thermosphere, and ionosphere, *J. Geophys. Res. Space Physics*, 121, 3621– 3633, doi:10.1002/2016JA022528.

Lieberman, R. S., Riggan, D. M., Ortland, D. A., Oberheide, J., and Siskind, D. E. (2015), Global observations and modeling of nonmigrating diurnal tides generated by tideÅĀĀplanetary wave interactions, *J. Geophys. Res. Atmos.*, 120, 11,419– 11,437, doi:10.1002/2015JD023739.

Interactive comment on *Ann. Geophys. Discuss.*, <https://doi.org/10.5194/angeo-2019-140>, 2019.

Interactive
comment

Printer-friendly version

Discussion paper

