Ann. Geophys. Discuss., https://doi.org/10.5194/angeo-2019-25-RC1, 2019 © Author(s) 2019. This work is distributed under the Creative Commons Attribution 4.0 License.



## Interactive comment on "On the evaluation of the phase relation between temperature and wind tides based on ground-based measurements and reanalysis data in the middle atmosphere" by Kathrin Baumgarten and Gunter Stober

## **Anonymous Referee #1**

Received and published: 10 April 2019

This manuscript describes temperature tides and their connection to the wind behaviour in the middle atmosphere using ground-based observation and reanalysis MERRA 2. Authors give very clear and useful results. I have only two minor question which should be implemented into discussion part and I can reccommend this paper for publication. 1) MERRA 2 provide 3 hourly data up to 0.1 hPa. For diurnal and semidurnal tides is should be ok. But I am not sure if for the terdiurnal tide especially at higher altitudes MERRA 2 data are reliable for this kind of studies. It should be at least mentioned in the paper. 2) I suppose that data from lidar observations is

C1

included into MERAA 2 reanalysis assimilation process. Could it affect the results or not? Especially if you show the comparison between MERRA 2 and lidar observation.

Interactive comment on Ann. Geophys. Discuss., https://doi.org/10.5194/angeo-2019-25, 2019.